

**Jhaveri Honda**



# DIO WANNA HAVE FUN?



**DIO  
110**

**DIO  
125**

\*The above TFT image is of Dio 125.

INTRODUCING

**Dio**  
**110** | **Dio**  
**125**

**EXPERIENCE FUN LIKE NEVER BEFORE.**

*Honda Dio 110 and Dio 125 are the perfect rides to make the most of your day and have fun all the way. They're powerful, and power-packed with world-class features. They're comfortable and commanding. They're style personified. But most of all, they promise a smooth, efficient, and fun experience, every single time.*



# DIO WANNA HAVE FUN WITH **NEW** TECHNOLOGY?

**TFT METER** 10.67 cm

**DIO 110** | **DIO 125**

Advanced and interactive, the TFT meter provides real-time and average fuel efficiency, and range (distance to empty), keeping you always informed.

REAL-TIME MILEAGE

RANGE  
(DISTANCE TO EMPTY)

AVERAGE MILEAGE



\*Image reference is for Dio 125.

Dio  
125

# Honda RoadSync

*Stay connected effortlessly with the Honda RoadSync app. Seamlessly link your smartphone to your Dio 125 via Bluetooth. And enjoy a smooth, hassle-free ride while accessing essential features right at your fingertips.*

Manage messages via voice commands



Use turn-by-turn navigation to reach anywhere



Get real-time weather updates for any location



Manage and make calls directly from your Dio 125



Enjoy easy music control



**Dio  
125**

# *Smart Key*

With **H-Smart** Technology

Unlock a smarter ride with our H-Smart technology and experience the ultimate convenience and security with the Honda Smart Key.

## **Smart SAFE**

Your Dio 125 stays secure, even when you're not around.

## **Smart FIND**

Searching for your ride in a crowded parking or low-light conditions can be frustrating and the answer back feature solves it.

## **Smart UNLOCK**

No need to fumble for your key- Honda Smart Key makes unlocking effortless.

## **Smart START**

Start your Dio 125 without even taking the key out of your pocket.



\*Smart Key is available in Dio 125 H-Smart variant only.

**Dio  
110**

**Dio  
125**

## **IDLING STOP SYSTEM**



*Dio 110's Idling Stop System automatically shuts down the engine during brief stops, reducing unnecessary fuel consumption, and easing rider fatigue.*

## **ADVANCED IDLING STOP SYSTEM**



*The Advanced Idling Stop System on Dio 125 takes fuel efficiency and convenience to the next level as it automatically cuts-off the engine below a certain speed and seamlessly restarts the engine when the rider pulls-up the throttle again.*




**D10  
110**

**D10  
125**

## **SIDE STAND ENGINE CUT-OFF\***



*It automatically shuts off the engine for added safety when the side stand is engaged.*



## **SILENT START WITH ACG**

*The ACG Starter provides a smooth, silent start every time, and reduces engine maintenance.*

## **PGM-FI FUEL INJECTION**

*The PGM-FI system optimizes fuel and air for efficient combustion, ensuring steady power and better mileage.*

*\*Side stand is a part of genuine standard accessories.*

**Dio** WANNA  
HAVE FUN WITH  
**COMFORT?**



**Dio  
110**

**Dio  
125**

## USB TYPE-C CHARGING



With the built-in USB Type-C charger, never ever worry about your phone's battery running out.

## DOUBLE-LID EXTERNAL FUEL FILL



Now no need to get up to get your Dio refilled with a double-lid external fuel fill.



**D19  
110**

**D19  
125**

## PASSING SWITCH



Pass like a boss with an easy-to-use passing switch for high beam, low beam, and passing with a flick.

## RETRACTABLE PILLION FOOT STEP



Convenient and easy to use, so that the comfort of those sitting behind is always at the forefront.

## FRONT POCKET



A pocket that's amazingly spacious. So, whether it's your sipper or sunglasses, keep all your essentials close.

## **MULTI-FUNCTION UNIT\***



*Safety meets style, style meets convenience. An iconic sleek, blue back-lit knob that elevates your ride and ride quality.*

## **TELESCOPIC SUSPENSION**



*Say goodbye to bumpy rides! Our telescopic suspension features dual hydraulic shock absorbers with internal coil springs, designed for minimum vibrations, maximum comfort.*

## **12-INCH FRONT WHEEL**



*Our 12-inch wheels are designed to tackle tough terrains with ease, giving you effortless clearances and enhanced confidence.*

**DIO** WANNA  
HAVE FUN WITH  
**STYLE?**




**Dio  
110**

## SPLIT GRABRAIL



*A bold, sleek grabrail that grabs attention from the first glance onwards.*

## SPORTY MUFFLER



*A stylishly cool muffler protector on Dio 110 to up the style.*



*A thunderous sound for a thunderous entry. Dio 125's dual-tip muffler announces your arrival before you even arrive.*

## ALLOY WHEELS



*These alloy wheels combine stylishness with unmatched comfort.*

**Dio  
110**

**Dio  
125**

## **SPORTY DISC BRAKE**

Only for Dio 125



High-performance disc brakes fitted in sleek alloy wheels, perfect for those who like to stay stylishly in command.

## **POSITION LAMP**

The distinctive LED lamp enhances the bold look while adding a touch of flair to your style.



## **FIERCE LED HEADLAMP**

For trendsetters who own the night, the sleek LED lights provide a bright, clear view of the road ahead.



**DIO** WANNA  
HAVE FUN WITH  
**COLOURS?**

**DIO  
110**



**IMPERIAL RED  
METALLIC**

**MAT MARVEL  
BLUE**



**MAT AXIS  
GRAY METALLIC**

**PEARL IGNEOUS  
BLACK**



**PEARL IGNEOUS BLACK +  
PEARL DEEP GROUND GRAY**

**DIO  
125**

**MAT MARVEL BLUE METALLIC**



**PEARL DEEP GROUND GRAY  
(EMBLEM)**

**PEARL SPORTS YELLOW**



**PEARL DEEP GROUND GRAY  
(STRIPE)**

**IMERIAL RED**



**PEARL IGNEOUS BLACK**

**AVAILABLE IN 2 DIFFERENT VARIANTS**



| Features  | STD | DLX |
|---|-----|-----|
| TFT Meter   | x   | ✓   |
| Eco Indicator   | x   | ✓   |
| Real-Time Fuel Efficiency                               | x   | ✓   |
| Average Fuel Efficiency                                 | x   | ✓   |
| Range (Distance To Empty)                               | x   | ✓   |
| Alloy Wheels  | x   | ✓   |
| Periodic Maintenance Indicator                          | x   | ✓   |
| Automatically Adjustable Meter Light & Dark Theme Modes | x   | ✓   |
| Universal USB-C Type Charging                           | OP  | ✓   |
| Idling Stop System With Turn Off Switch                 | ✓   | ✓   |
| Double-Lid External Fuel Fill                           | ✓   | ✓   |
| Glove Box   | ✓   | ✓   |
| ACG Silent Start  | ✓   | ✓   |
| CBS With Equalizer                                      | ✓   | ✓   |



| Features  | DLX | H-SMART |
|---|-----|---------|
| Multi-Function SMART Switch Unit                        | x   | ✓       |
| Smart Key   | x   | ✓       |
| Smart Find  | x   | ✓       |
| Smart Unlock  | x   | ✓       |
| Smart Safe  | x   | ✓       |
| Smart Start   | x   | ✓       |
| Bluetooth Connectivity                                  | x   | ✓       |
| Honda RoadSync App                                      | x   | ✓       |
| Turn By Turn Navigation With Voice Assist               | x   | ✓       |
| Calling   | x   | ✓       |
| Message - Answer Back                                   | x   | ✓       |
| Weather Forecast  | x   | ✓       |
| Music Control Through TFT                               | x   | ✓       |
| TFT Meter   | ✓   | ✓       |
| Eco Indicator   | ✓   | ✓       |
| Real-Time Fuel Efficiency                               | ✓   | ✓       |
| Average Fuel Efficiency                                 | ✓   | ✓       |
| Range (Distance To Empty)                               | ✓   | ✓       |
| Alloy Wheels  | ✓   | ✓       |
| Universal USB-C Type Charging                           | ✓   | ✓       |
| Adv. Idling Stop System With Turn Off Switch            | ✓   | ✓       |
| Double-Lid External Fuel Fill                           | ✓   | ✓       |
| Glove Box   | ✓   | ✓       |
| ACG Silent Start  | ✓   | ✓       |
| CBS With Equalizer                                      | ✓   | ✓       |
| Disc Brakes   | ✓   | ✓       |
| Periodic Maintenance Indicator                          | ✓   | ✓       |
| Automatically Adjustable Meter Light & Dark Theme Modes | ✓   | ✓       |

## TECHNICAL SPECIFICATION<sup>+</sup>

|  Body Dimensions | 110 cc             | 125 cc                       |
|---|--------------------|------------------------------|
| Length  | 1808 mm            | 1830 mm                      |
| Width   | 677 mm             | 707 mm                       |
| Height  | 1151 mm            | 1172 mm                      |
| Wheel Base  | 1260 mm            | 1260 mm                      |
| Ground Clearance  | 160 mm             | 171 mm                       |
| Seat Length   | 650 mm             | 708 mm                       |
| Kerb Weight   | Std. & Dlx: 106 kg | 104 kg (Smart), 105 kg (Dlx) |
| Fuel Tank Capacity  | 5.3 L              | 5.3 L                        |

|  Engine |                      |                      |
|--|----------------------|----------------------|
| Type   | 4 Stroke, SI Engine  | 4 Stroke, SI Engine  |
| Displacement   | 109.51 cc            | 123.92 cc            |
| Max Net Power  | 5.85 kW @ 8000 rpm   | 6.11 kW @ 6500 rpm   |
| Max Net Torque   | 9.03 N-m @ 5500 rpm  | 10.5 N-m @ 5000 rpm  |
| Bore   | 47.0 mm              | 50.0 mm              |
| Stroke   | 63.121 mm            | 63.113 mm            |
| Fuel System  | PGM - FI             | PGM - FI             |
| Compression Ratio  | 10.0:1               | 10.0:1               |
| Air Filter Type  | Viscous Paper Filter | Viscous Paper Filter |
| Starting Method  | Kick / Self          | Self                 |

|  Transmission |                                       |                                       |
|--|---------------------------------------|---------------------------------------|
| Clutch Type  | Automatic Centrifugal Clutch Dry Type | Automatic Centrifugal Clutch Dry Type |

|  Tyres & Brakes |               |               |
|--|---------------|---------------|
| Tyre Size (Front)  | 90/90-12 54J  | 90/90-12 54J  |
| Tyre Size (Rear)   | 90/100-10 53J | 90/100-10 53J |
| Tyre Type (Front)  | Tubeless      | Tubeless      |
| Tyre Type (Rear)   | Tubeless      | Tubeless      |
| Brake Type & Size (Front)  | Drum - 130 mm | Disc - 190 mm |
| Brake Type & Size (Rear)   | Drum - 130 mm | Drum - 130 mm |

|  Frames & Suspensions |            |   |
|--|------------|---|
| Frame Type   | Underbone  | Underbone                                 |
| Front  | Telescopic | Telescopic                                |
| Rear   | Unit Swing | 3-Step Adjustable Spring Loaded Hydraulic |

|  Electricals |        |        |
|---|--------|--------|
| System Voltage  | 12V    | 12V    |
| Battery   | 5.0 Ah | 5.0 Ah |
| Head Lamp   | LED    | LED    |

\*The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • Range (distance to empty), real time and average mileage readings may vary as per the variant and riding conditions • Dio 110 and Dio 125 meets Bharat stage VI OBD-2B norms • Product shown in the picture may vary from the actual product available in the market • Accessories shown in the picture are not part of the standard equipment • All features and colours may not be part of all variants • \*Conditions apply.

**Honda Motorcycle and Scooter India Pvt. Ltd.**

**Registered Office:** Plot No. 1, Sector-03, IMT Manesar, Distt. Gurugram- 122050 (Haryana)

**Tel:** +91(0)124-2290011, +91(0)6712800, **Fax:** +91(0)124-6712999

**Visit us at:** [www.honda2wheelersindia.com](http://www.honda2wheelersindia.com) **Customer Care:** [customercare@honda.hmsi.in](mailto:customercare@honda.hmsi.in)

**Follow us at :**  [honda2wheelers.in](https://www.facebook.com/honda2wheelers.in)  [honda2wheelers.in](https://www.instagram.com/honda2wheelers.in)  [honda2wheelers.in](https://www.youtube.com/honda2wheelers.in)  [honda2wheelers.in](https://twitter.com/honda2wheelers.in)

Dealer Stamp

Haveri Honda  
312 HANUMAN BLDG, 3RD FLOOR, HANUMAN STREET, FORT  
SRM, CHENNAI  
REG. NO. TN02-2012-100000